Refine Search

Search Results -

	Term	Documents
	DISPLAY	339326
	DISPLAYS	162129
	DATA	609191
	DATUM	6694
	TONE	41634
	TONES	14899
	GRAY	44643
	GRAYS	620
	SCALE	236398
	SCALES	24006
	VOLTAGE	254435
Respits User Sea	((PLURAL\$6 NEAR2 DISPLAY ADJ PANEL\$6 AND DATA ADJ DRIVER\$S AND (TONE OR GRAY ADJ SCALE) ADJ VOLTAGE AND PROCESSOR AND COMMON ADJ DATA ADJ DRIVER\$1 SAME VERTICAL ADJ BLANKING ADJ TIME- PERIOD).CLM.).PGPB.	0

There are more results than shown above. Click here to view the entire set.

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database US OCR Full-Text Database

Database: **EPO Abstracts Database**

> JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L31

Refine Search





Interrupt . .

Search History

DATE: Tuesday, October 10, 2006 **Purge Queries** Printable Copy Create Case

Interference Search <u>Set</u>

<u>Set</u>

Name side by side	Query	<u>Hit</u> Count	Name result set
DB=	PGPB; PLUR=YES; OP=ADJ		
<u>L31</u>	(plural\$6 near2 display adj panel\$6 and data adj driver\$s and (tone or gray adj scale) adj voltage and processor and common adj data adj driver\$1 same vertical adj blanking adj time-period).CLM.	0	<u>L31</u>
DB =	USPT; PLUR=YES; OP=ADJ		
<u>L30</u>	L8 and select\$6 same (tone or gray adj scale) adj voltage	0	<u>L30</u>
DB =	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L29</u>	L8 and select\$6 same (tone or gray adj scale) adj voltage	4	<u>L29</u>
<u>L28</u>	L8 and selector\$6 same (tone or gray adj scale) adj voltage	2	<u>L28</u>
<u>L27</u>	L8 and generat\$6 adj circuit same (tone or gray adj scale) adj voltage	2	<u>L27</u>
<u>L26</u>	18 and tone adj voltage same vertical adj blanking Near2 time-period	1	<u>L26</u>
<u>L25</u>	ll8 and data adj driver same tone adj voltage same (display adj element\$1 or pixel\$1)	0	<u>L25</u>
<u>L24</u>	L8 and (multiple or plural or first or second) adj display\$1 same (tone or gray adj scale) adj voltage	1	<u>L24</u>
<u>L23</u>	L8 and (multiple or plural or first or second) adj display\$1 same tone adj voltage	0	<u>L23</u>
<u>L22</u>	data adj driver\$1 same tone adj voltage	26	<u>L22</u>
<u>L21</u>	18 and data adj driver\$1 same tone adj voltage	1	<u>L21</u>
<u>L20</u>	18 and tone adj voltage	1	<u>L20</u>
<u>L19</u>	tone adj voltage	533	<u>L19</u>
<u>L18</u>	18 and common adj data adj driv\$6	0	<u>L18</u>
<u>L17</u>	114 and common adj data adj driv\$6	0	<u>L17</u>
<u>L16</u>	115 and common adj data adj driv\$6	0	<u>L16</u>
<u>L15</u>	L14 and @py<=2003	35	<u>L15</u>
<u>L14</u>	112 and driv\$6	68	<u>L14</u>
<u>L13</u>	L12 and data adj driver\$1	4	<u>L13</u>
<u>L12</u>	multiple adj display adj panels	126	<u>L12</u>
<u>L11</u>	L10 and @py<=2003	10	<u>L11</u>
<u>L10</u>	L8 and data adj driv\$6	38	<u>L10</u>
<u>L9</u>	L8 and data adj driver\$6	24	<u>L9</u>
<u>L8</u>	(plural\$6 adj display adj panel\$1 or first adj display adj panel same second adj display adj panel)	861	<u>L8</u>
<u>L7</u>	L3 and @py<=2003	148	<u>L7</u>
<u>L6</u>	L5 and @py<=2003	45	<u>L6</u>
<u>L5</u>	plural\$6 adj display adj panel\$1 same driv\$6	86	<u>L5</u>
<u>L4</u>	L3 and driv\$6	171	<u>L4</u>
<u>L3</u>	first adj display adj panel same second adj display adj panel	317	<u>L3</u>
<u>L2</u>	L1 and data adj driver\$6	. 11	<u>L2</u>
<u>L1</u>	plural\$6 adj display adj panel\$1	594	<u>L1</u>

Refine Search

Search Results -

Term	Documents
TONE	92754
TONES	31863
GRAY	100367
GRAYS	971
SCALE	557558
SCALES	44932
VOLTAGE	676817
VOLTAGES	234498
SELECT\$6	0
SELECT	397401
SELECTA	74
(L8 AND SELECT\$6 SAME (TONE OR GRAY ADJ SCALE) ADJ VOLTAGE).USPT.	0

There are more results than shown above. Click here to view the entire set.

US Pre-Grant Publication Full-Text Database


US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:

L30









Search History

DATE: Tuesday, October 10, 2006 Purge Queries Printable Copy Create Case

Set Name Query side by side

<u>Hit</u> Count Set
Name
result set

DB =	USPT; PLUR=YES; OP=ADJ			
<u>L30</u>	L8 and select\$6 same (tone or gray adj scale) adj voltage	0	<u>L30</u>	
DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ				
<u>L29</u>	L8 and select\$6 same (tone or gray adj scale) adj voltage	4	<u>L29</u>	
<u>L28</u>	L8 and selector\$6 same (tone or gray adj scale) adj voltage	2	<u>L28</u>	
<u>L27</u>	L8 and generat\$6 adj circuit same (tone or gray adj scale) adj voltage	2	<u>L27</u>	
<u>L26</u>	18 and tone adj voltage same vertical adj blanking Near2 time-period	1	<u>L26</u>	
<u>L25</u>	ll8 and data adj driver same tone adj voltage same (display adj element\$1 or pixel\$1)	0	<u>L25</u>	
<u>L24</u>	L8 and (multiple or plural or first or second) adj display\$1 same (tone or gray adj scale) adj voltage	1	<u>L24</u>	
<u>L23</u>	L8 and (multiple or plural or first or second) adj display\$1 same tone adj voltage	0	<u>L23</u>	
<u>L22</u>	data adj driver\$1 same tone adj voltage	26	<u>L22</u>	
<u>L21</u>	18 and data adj driver\$1 same tone adj voltage	1	<u>L21</u>	
<u>L20</u>	18 and tone adj voltage	1	<u>L20</u>	
<u>L19</u>	tone adj voltage	533	<u>L19</u>	
<u>L18</u>	18 and common adj data adj driv\$6	0	<u>L18</u>	
<u>L17</u>	114 and common adj data adj driv\$6	0	<u>L17</u>	
<u>L16</u>	115 and common adj data adj driv\$6	0	<u>L16</u>	
<u>L15</u>	L14 and @py<=2003	35	<u>L15</u>	
<u>L14</u>	112 and driv\$6	68	<u>L14</u>	
<u>L13</u>	L12 and data adj driver\$1	4	<u>L13</u>	
<u>L12</u>	multiple adj display adj panels	126	<u>L12</u>	
<u>L11</u>	L10 and @py<=2003	10	<u>L11</u>	
<u>L10</u>	L8 and data adj driv\$6	38	<u>L10</u>	
<u>L9</u>	L8 and data adj driver\$6	24	<u>L9</u>	
<u>L8</u>	(plural\$6 adj display adj panel\$1 or first adj display adj panel same second adj display adj panel)	861	<u>L8</u>	
<u>L7</u>	L3 and @py<=2003	148	<u>L7</u>	
<u>L6</u>	L5 and @py<=2003	45	<u>L6</u>	
<u>L5</u>	plural\$6 adj display adj panel\$1 same driv\$6	86	<u>L5</u>	
<u>L4</u>	L3 and driv\$6	171	<u>L4</u>	
<u>L3</u>	first adj display adj panel same second adj display adj panel	317	<u>L3</u>	
<u>L2</u>	L1 and data adj driver\$6	11	<u>L2</u>	
<u>L1</u>	plural\$6 adj display adj panel\$1	594	<u>L1</u>	

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins			
Term:	L10 and @py<=2003			
Display:	Documents in Display Format: TI Starting with Number 1			
Generate: O Hit List O Hit Count O Side by Side O Image				
	Search Clear Interrupt			

Search History

DATE: Tuesday, October 10, 2006 Purge Queries Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
DB=F	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L11</u>	L10 and @py<=2003	10	<u>L11</u>
<u>L10</u>	L8 and data adj driv\$6	38	<u>L10</u>
<u>L9</u>	L8 and data adj driver\$6	24	<u>L9</u>
<u>L8</u>	(plural\$6 adj display adj panel\$1 or first adj display adj panel same second adj display adj panel)	861	<u>L8</u>
<u>L7</u>	L3 and @py<=2003	. 148	<u>L7</u>
<u>L6</u>	L5 and @py<=2003	45	<u>L6</u>
<u>L5</u>	plural\$6 adj display adj panel\$1 same driv\$6	86	<u>L5</u>
<u>L4</u>	L3 and driv\$6	171	<u>L4</u>
<u>L3</u>	first adj display adj panel same second adj display adj panel	317	<u>L3</u>
<u>L2</u>	L1 and data adj driver\$6	11	<u>L2</u>
<u>L1</u>	plural\$6 adj display adj panel\$1	594	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

DATE: Tuesda	ay, October 10, 2006	Search Histor Purge Queries	Printable Copy	Create Case	
•		Search Histor	У		
	Search History				
Search Clear Interrupt					
Generate: O Hit List O Hit Count O Side by Side O Image					
Display: 20 Documents in Display Format: TI Starting with Number 1					1
Term:	plural\$6 adj displ screen and sub adj		and main adj		
	JPO Abstracts Databas Derwent World Patents IBM Technical Disclosu	e Index			
Database:	US OCR Full-Text Data EPO Abstracts Databas				
Database:	EPO Abstracts Databas	itabase			

Name side by	Query	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ			
<u>L11</u>	plural\$6 adj display adj panel\$6 and main adj screen and sub adj screen	3	<u>L11</u>
<u>L10</u>	plural\$6 adj display adj panel\$6 same data adj driver\$6	3	<u>L10</u>
<u>L9</u>	plural\$6 adj display adj panel\$6	596	<u>L9</u>
<u>L8</u>	L7 and @py<=2003	15	<u>L8</u>
<u>L7</u>	L6 and apply\$6 adj voltage\$1	56	<u>L7</u>
<u>L6</u>	L5 and (driv\$6 or tone) adj voltage\$1	237	<u>L6</u>
<u>L5</u>	L4 and (CPU or processor or computer)	571	<u>L5</u>
<u>L4</u>	L3 and data adj driver\$6	1459	<u>L4</u>
<u>L3</u>	plural\$6 same display adj panel\$1	20703	<u>L3</u>
<u>L2</u>	L1 and plural\$6 adj display adj panel\$1	594	<u>L2</u>
<u>L1</u>	display\$3	2454388	<u>L1</u>

END OF SEARCH HISTORY